



**HI-TECH**  
high mileage

**MORE MILES**  
**MORE SMILES**

*Product  
Catalogue*



AN ISO 9001:2015 CERTIFIED COMPANY



..a journey  
towards  
excellence



Hi-Tech is backed by a team of professionally skilled and experienced executives and technocrats. The name, Hi-Tech Stands for high tech level of knowhow and outstanding quality at an affordable cost. Our inspection protocol includes application of instruments for tyre testing, tensile testing and abrasion testing etc. Our R&D department anticipates future needs and work upon them.



tread that  
takes you to places...

The tread that we manufacture meets international quality parameters. With a wide network in the country, our products are available for all types of vehicles. The services and products of Hi-Tech are available in the international market also. With a commitment to give the best, Hi-Tech is sure to be the most sought after tread in the near future.

# INDEX



|       |                         |    |
|-------|-------------------------|----|
| HT 01 | VIKING .....            | 02 |
| HT 02 | AJAX .....              | 02 |
| HT 03 | SEMI LUG .....          | 02 |
| HT 04 | JET TRACK .....         | 03 |
| HT 05 | SR .....                | 03 |
| HT 06 | TR .....                | 03 |
| HT 07 | UNIJET .....            | 03 |
| HT 08 | EXTRA MILER .....       | 03 |
| HT 09 | R2 .....                | 04 |
| HT 10 | MSR .....               | 04 |
| HT 11 | DR .....                | 04 |
| HT 12 | MG .....                | 04 |
| HT 13 | CT .....                | 04 |
| HT 14 | SG .....                | 05 |
| HT 15 | MR .....                | 05 |
| HT 16 | AM .....                | 05 |
| HT 17 | ENDURA .....            | 05 |
| HT 18 | ASTRO .....             | 05 |
| HT 19 | EAGLE .....             | 05 |
| HT 20 | Z-TRACK .....           | 06 |
| HT 21 | LUG MASTER .....        | 06 |
| HT 22 | MAXIMUS .....           | 06 |
| HT 23 | BCR .....               | 07 |
| HT 24 | M6 .....                | 07 |
| HT 25 | RTS .....               | 07 |
| HT 26 | MINES SPECIAL ML .....  | 07 |
| HT 27 | TVS .....               | 08 |
| HT 28 | B580 .....              | 08 |
| HT 29 | JKB .....               | 08 |
| HT 30 | LD .....                | 08 |
| HT 31 | MML .....               | 09 |
| HT 32 | MILE GRIP MLG .....     | 09 |
| HT 33 | M10 .....               | 09 |
| HT 34 | TRANSPORT .....         | 09 |
| HT 35 | BDY .....               | 09 |
| HT 36 | ROAD STAR .....         | 09 |
| HT 37 | ADH .....               | 10 |
| HT 38 | LGR .....               | 10 |
| HT 39 | B582 .....              | 10 |
| HT 40 | JDE .....               | 10 |
| HT 41 | IR .....                | 10 |
| HT 42 | MST .....               | 10 |
| HT 43 | TRACTOR FRONT .....     | 11 |
| HT 44 | TRACTOR FRONT NEW ..... | 11 |





## HT-01

### VIKING

| Tyre Size | Width (mm) | Skid Depth (mm) | Base Thickness (mm) | Length (inches) | Weight (Kg) |
|-----------|------------|-----------------|---------------------|-----------------|-------------|
| 1000*20   | 215        | 11.6            | 4.0                 | 129             | 11.4        |
| 1000*20   | 205        | 12.8            | 3.7                 | 129             | 11.6        |
| 1000*20   | 197        | 14.3            | 3.9                 | 129             | 12.0        |
| 900*20    | 187        | 15.0            | 4.0                 | 126             | 11.8        |
| 825*20    | 178        | 12.0            | 3.5                 | 120             | 9.0         |
| 825*20    | 168        | 14.2            | 3.5                 | 120             | 9.3         |
| 825*16    | 168        | 14.2            | 3.5                 | 105             | 8.2         |
| 825*16    | 178        | 12.0            | 3.5                 | 105             | 7.8         |
| 750*16    | 160        | 12.4            | 3.8                 | 99              | 6.4         |
| 750*16    | 150        | 11.9            | 3.1                 | 99              | 5.9         |
| 700*16    | 150        | 11.9            | 3.1                 | 96              | 5.7         |
| 700*15    | 140        | 10.8            | 3.0                 | 94              | 4.8         |
| 600*16    | 130        | 10.0            | 4.0                 | 90              | 4.4         |
| 185*14    | 140        | 10.8            | 3.0                 | 82              | 4.1         |
| 165*R14   | 130        | 10.0            | 4.0                 | 77              | 3.8         |
| 165*12    | 130        | 10.0            | 4.0                 | 70              | 3.5         |



## HT-02

### AJAX

| Tyre Size | Width (mm) | Skid Depth (mm) | Base Thickness (mm) | Length (inches) | Weight (Kg) |
|-----------|------------|-----------------|---------------------|-----------------|-------------|
| 1000*20   | 210        | 12.4            | 4.0                 | 129             | 11.9        |
| 1000*20   | 205        | 10.0            | 4.0                 | 129             | 10.2        |
| 1000*20   | 195        | 10.0            | 4.0                 | 129             | 10.0        |
| 900*20    | 187        | 10.7            | 4.0                 | 126             | 9.2         |
| 900*16    | 187        | 10.7            | 4.0                 | 110             | 8.0         |
| 825*20    | 168        | 9.4             | 3.8                 | 120             | 7.2         |
| 825*16    | 168        | 9.4             | 3.8                 | 105             | 6.3         |
| 750*16    | 160        | 9.6             | 3.4                 | 99              | 5.4         |
| 750*16    | 156LW      | 10.5            | 3.1                 | 99              | 5.4         |
| 750*16    | 156HD      | 12.6            | 3.4                 | 99              | 6.3         |
| 750*16    | 150        | 9.0             | 3.6                 | 99              | 5.5         |
| 700*16    | 150        | 9.0             | 3.6                 | 96              | 5.3         |
| 600*16    | 120        | 10.8            | 3.2                 | 90              | 3.8         |
| 600*16    | 130        | 9.2             | 4.0                 | 90              | 4.1         |
| 500*12    | 120        | 10.8            | 3.2                 | 60              | 2.8         |
| 450*12    | 102HD      | 11.4            | 3.5                 | 66              | 2.6         |
| 450*10    | 102HD      | 11.4            | 3.5                 | 60              | 2.4         |
| 450*12    | 102LW      | 6.6             | 3.5                 | 66              | 2.0         |
| 450*10    | 102LW      | 6.6             | 3.5                 | 60              | 1.8         |
| 195*15    | 160        | 9.6             | 3.4                 | 87              | 5.0         |
| 195*15    | 150        | 9.0             | 3.6                 | 87              | 4.8         |



## HT-03

### SEMI LUG

| Tyre Size | Width (mm) | Skid Depth (mm) | Base Thickness (mm) | Length (inches) | Weight (Kg) |
|-----------|------------|-----------------|---------------------|-----------------|-------------|
| 1000*20   | 210        | 13.0            | 3.6                 | 129             | 11.1        |
| 1000*20   | 205        | 13.0            | 3.8                 | 129             | 11.0        |
| 900*20    | 187        | 13.4            | 3.8                 | 126             | 10.3        |
| 900*16    | 187        | 13.4            | 3.8                 | 110             | 9.0         |
| 750*16    | 160        | 10.0            | 4.0                 | 99              | 5.7         |
| 750*16    | 150        | 12.2            | 3.0                 | 99              | 5.8         |
| 700*16    | 150        | 12.2            | 3.0                 | 96              | 5.6         |
| 600*16    | 130        | 11.8            | 2.6                 | 90              | 4.4         |



**HT-04**

**JET TRACK**

| Tyre Size | Width (mm) | Skid Depth (mm) | Base Thickness (mm) | Length (inches) | Weight (Kg) |
|-----------|------------|-----------------|---------------------|-----------------|-------------|
| 1000*20   | 215        | 13.5            | 3.2                 | 128             | 11.1        |
| 1000*20   | 210        | 13.5            | 3.5                 | 129             | 11.5        |
| 1000*20   | 205        | 13.0            | 3.0                 | 129             | 10.8        |
| 825*20    | 168        | 13.4            | 3.6                 | 120             | 8.5         |
| 825*16    | 168        | 13.4            | 3.6                 | 105             | 7.5         |



**HT-05**

**SR**

| Tyre Size | Width (mm) | Skid Depth (mm) | Base Thickness (mm) | Length (inches) | Weight (Kg) |
|-----------|------------|-----------------|---------------------|-----------------|-------------|
| 1000*20   | 210LW      | 13.5            | 3.5                 | 130             | 11.4        |
| 1000*20   | 205HD      | 14.6            | 4.0                 | 130             | 12.6        |
| 1000*20   | 205LW      | 11.0            | 3.5                 | 128             | 10.6        |
| 825*20    | 170        | 16.4            | 4.0                 | 120             | 11.1        |
| 825*20    | 174        | 14.2            | 3.8                 | 105             | 9.5         |
| 825*16    | 174        | 14.2            | 3.8                 | 105             | 9.0         |
| 825*16    | 172LW      | 11.6            | 3.4                 | 105             | 6.8         |
| 825*16    | 172LW      | 11.6            | 3.4                 | 120             | 7.8         |
| 825*16    | 170        | 16.4            | 4.0                 | 105             | 9.7         |
| 750*16    | 160        | 13.8            | 4.0                 | 99              | 7.5         |
| 155*12    | 124        | 11.2            | 3.2                 | 67              | 3.2         |



**HT-06**

**TR**

| Tyre Size   | Width (mm) | Skid Depth (mm) | Base Thickness (mm) | Length (inches) | Weight (Kg) |
|-------------|------------|-----------------|---------------------|-----------------|-------------|
| 1000*20     | 220        | 12              | 4.0                 | 130             | 11.7        |
| 1000*20     | 205        | 14              | 4.0                 | 129             | 12.2        |
| 225*75*17.5 | 205        | 14              | 4.0                 | 103             | 9.7         |



**HT-08**

**EXTRA MILER PM**

| Tyre Size | Width (mm) | Skid Depth (mm) | Base Thickness (mm) | Length (inches) | Weight (Kg) |
|-----------|------------|-----------------|---------------------|-----------------|-------------|
| 1200*24   | 235        | 15.5            | 3.5                 | 147             | 17.3        |
| 1100*20   | 250        | 15.5            | 3.5                 | 134             | 16.0        |
| 1100*20   | 235        | 15.5            | 3.5                 | 134             | 15.8        |
| 1100*20   | 235 LW     | 13.1            | 3.5                 | 134             | 13.3        |
| 1100*20   | 225 LW     | 13.1            | 3.5                 | 132             | 12.5        |
| 1000*20   | 235        | 15.5            | 3.5                 | 130             | 15.3        |
| 1000*20   | 225        | 14.5            | 4.0                 | 132             | 14.7        |
| 1000*20   | 215        | 14.5            | 4.0                 | 132             | 14.3        |
| 1000*20   | 215 LW     | 13.0            | 3.5                 | 130             | 11.9        |
| 1000*20   | 205        | 16.5            | 4.0                 | 130             | 14.0        |
| 1000*20   | 205 LW     | 13.4            | 3.9                 | 130             | 12.0        |
| 1000*20   | 197        | 16.2            | 4.0                 | 130             | 13.7        |
| 1000*20   | 220        | 15.5            | 4.0                 | 132             | 14.8        |
| 1000*20   | 210        | 16.5            | 4.0                 | 130             | 14.5        |



**HT-07**

**UNIJET**

| Tyre Size | Width (mm) | Skid Depth (mm) | Base Thickness (mm) | Length (inches) | Weight (Kg) |
|-----------|------------|-----------------|---------------------|-----------------|-------------|
| 1000*20   | 212        | 14.5            | 4.0                 | 129             | 11.9        |



**HT-09**

**R2**

| Tyre Size | Width (mm) | Skid Depth (mm) | Base Thickness (mm) | Length (inches) | Weight (Kg) |
|-----------|------------|-----------------|---------------------|-----------------|-------------|
| 1200*24   | 235        | 14.0            | 3.6                 | 147             | 14.9        |
| 1100*20   | 235        | 14.0            | 3.6                 | 134             | 13.6        |
| 1000*20   | 235        | 14.0            | 3.6                 | 130             | 13.2        |
| 1000R20   | 220        | 15              | 3.5                 | 130             | 12.5        |
| 1000R20   | 210        | 15.0            | 3.6                 | 130             | 12.9        |
| 1000R20   | 215 LW     | 13.3            | 3.7                 | 129             | 10.9        |



**HT-10**

**MSR**

| Tyre Size | Width (mm) | Skid Depth (mm) | Base Thickness (mm) | Length (inches) | Weight (Kg) |
|-----------|------------|-----------------|---------------------|-----------------|-------------|
| 700*15    | 140        | 9.5             | 3.5                 | 93              | 4.0         |
| 235*16    | 195        | 9.2             | 3.4                 | 93              | 5.5         |
| 235R15    | 184        | 8.0             | 3.2                 | 93              | 4.8         |
| 215R14    | 173        | 9.0             | 3.3                 | 87              | 4.5         |
| 195*15    | 165        | 10.0            | 3.5                 | 87              | 4.7         |
| 195R15    | 155        | 11.0            | 3.0                 | 87              | 4.7         |
| 185*16    | 140        | 9.5             | 3.5                 | 87              | 3.8         |
| 175*15    | 140        | 9.5             | 3.5                 | 78              | 3.4         |



**HT-11**

**DR**

| Tyre Size | Width (mm) | Skid Depth (mm) | Base Thickness (mm) | Length (inches) | Weight (Kg) |
|-----------|------------|-----------------|---------------------|-----------------|-------------|
| 700R16    | 145        | 10.4            | 3.3                 | 93              | 4.3         |
| 215R14    | 165        | 8.0             | 3.0                 | 87              | 4.3         |
| 185*16    | 145        | 10.4            | 3.3                 | 87              | 4.0         |



**HT-12**

**MG**

| Tyre Size | Width (mm) | Skid Depth (mm) | Base Thickness (mm) | Length (inches) | Weight (Kg) |
|-----------|------------|-----------------|---------------------|-----------------|-------------|
| 165 R15   | 135        | 8.2             | 3.0                 | 164             | 6.0         |
| 165 R13   | 135        | 8.2             | 3.0                 | 150             | 5.5         |
| 165 R15   | 126        | 8.5             | 2.5                 | 82              | 2.7         |
| 165 R13   | 126        | 8.5             | 2.5                 | 150             | 4.8         |
| 155 R13   | 126        | 8.5             | 2.5                 | 134             | 4.2         |
| 145 R12   | 120        | 8.3             | 2.7                 | 134             | 3.8         |



**HT-13**


**CT**

| Tyre Size | Width (mm) | Skid Depth (mm) | Base Thickness (mm) | Length (inches) | Weight (Kg) |
|-----------|------------|-----------------|---------------------|-----------------|-------------|
| 590*15    | 115        | 8.2             | 3.1                 | 82              | 2.9         |
| 145*12    | 115        | 8.2             | 3.1                 | 66              | 2.3         |



**HT-14**

**SG**



| Tyre Size | Width (mm) | Skid Depth (mm) | Base Thickness (mm) | Length (inches) | Weight (Kg) |
|-----------|------------|-----------------|---------------------|-----------------|-------------|
| 215 R14   | 170        | 8.5             | 3.2                 | 87              | 4.3         |
| 195 R14   | 155        | 8.3             | 3.0                 | 87              | 3.8         |
| 185 R16   | 145        | 9.4             | 3.0                 | 90              | 3.7         |
| 175 R15   | 145        | 9.4             | 3.0                 | 87              | 3.6         |
| 175 R15   | 145        | 9.4             | 3.0                 | 78              | 3.3         |



**HT-15**

**MR**



| Tyre Size | Width (mm) | Skid Depth (mm) | Base Thickness (mm) | Length (inches) | Weight (Kg) |
|-----------|------------|-----------------|---------------------|-----------------|-------------|
| 145*80 12 | 115        | 8.0             | 2.4                 | 132             | 3.8         |



**HT-16**

**AM**



| Tyre Size | Width (mm) | Skid Depth (mm) | Base Thickness (mm) | Length (inches) | Weight (Kg) |
|-----------|------------|-----------------|---------------------|-----------------|-------------|
| 400*8     | 84         | 7.3             | 2.7                 | 100             | 2.2         |
| 400*8     | 84         | 7.3             | 2.7                 | 60              | 1.1         |



**HT-17**

**ENDURA**




| Tyre Size  | Width (mm) | Skid Depth (mm) | Base Thickness (mm) | Length (inches) | Weight (Kg) |
|------------|------------|-----------------|---------------------|-----------------|-------------|
| 590*15     | 115        | 11.0            | 3.0                 | 82              | 3.4         |
| 565*12     | 95         | 8.0             | 3.0                 | 66              | 1.9         |
| 500*12 ACE | 115        | 11.0            | 3.0                 | 66              | 2.8         |
| 450*10     | 95         | 8.0             | 3.0                 | 60              | 1.7         |
| 450*10     | 107        | 11.8            | 2.6                 | 60              | 2.4         |
| 450*10     | 107        | 11.8            | 2.6                 | 66              | 2.6         |



**HT-18**

**ASTRO**




| Tyre Size | Width (mm) | Skid Depth (mm) | Base Thickness (mm) | Length (inches) | Weight (Kg) |
|-----------|------------|-----------------|---------------------|-----------------|-------------|
| 185*16    | 140        | 10.4            | 3.0                 | 90              | 4.3         |
| 175*15    | 140        | 10.4            | 3.0                 | 87              | 4.2         |
| 165*14    | 140        | 10.4            | 3.0                 | 77              | 3.7         |



**HT-19**

**EAGLE**



| Tyre Size | Width (mm) | Skid Depth (mm) | Base Thickness (mm) | Length (inches) | Weight (Kg) |
|-----------|------------|-----------------|---------------------|-----------------|-------------|
| 165 R13   | 135        | 9.0             | 2.6                 | 150             | 5.9         |
| 165 R15   | 135        | 9.0             | 2.6                 | 164             | 6.5         |
| 165 R15   | 126        | 9.5             | 3.1                 | 164             | 6.7         |
| 165 R13   | 126        | 9.5             | 3.1                 | 150             | 6.1         |
| 145 R12   | 126        | 9.5             | 3.1                 | 134             | 5.4         |



**HT-22**

**MAXIMUS**



**HT-20**

**Z-TRACK**

| Tyre Size | Width (mm) | Skid Depth (mm) | Base Thickness (mm) | Length (inches) | Weight (Kg) |
|-----------|------------|-----------------|---------------------|-----------------|-------------|
| 1000*20   | 205        | 13.1            | 3.4                 | 128             | 10.9        |
| 500*12ACE | 124        | 13.8            | 2.8                 | 132             | 5.4         |



**HT-21**

**LUG MASTER**

| Tyre Size | Width (mm) | Skid Depth (mm) | Base Thickness (mm) | Length (inches) | Weight (Kg) |
|-----------|------------|-----------------|---------------------|-----------------|-------------|
| 1100*20   | 210        | 15.4            | 3.4                 | 130             | 13.1        |
| 1000*20   | 205        | 14.0            | 3.7                 | 130             | 11.7        |
| 750*16    | 160 LW     | 10.0            | 3.0                 | 99              | 5.6         |
| 750*16    | 160 HD     | 11.6            | 2.9                 | 99              | 6.0         |

| Tyre Size   | Width (mm) | Skid Depth (mm) | Base Thickness (mm) | Length (inches) | Weight (Kg) |
|-------------|------------|-----------------|---------------------|-----------------|-------------|
| 1200*24     | 205        | 12.5            | 3.5                 | 147             | 12.3        |
| 1200*24     | 210        | 13.2            | 3.5                 | 147             | 12.6        |
| 1200*24     | 215        | 13.8            | 3.2                 | 147             | 12.5        |
| 1200*24     | 220        | 13.5            | 3.5                 | 147             | 12.7        |
| 1200*24     | 225        | 13.6            | 3.4                 | 147             | 13.5        |
| 1200*24     | 230        | 13.5            | 4.1                 | 147             | 14.3        |
| 1200*24     | 235        | 14.0            | 3.5                 | 147             | 14.7        |
| 1200*24     | 240        | 13.6            | 3.4                 | 147             | 14.1        |
| 1200*24     | 250        | 12.8            | 3.4                 | 147             | 14.8        |
| 1200*24     | 260        | 12.8            | 3.2                 | 147             | 14.4        |
| 1200*20     | 295        | 14.0            | 3.75                | 130             | 17.5        |
| 1200*20     | 295        | 14.0            | 3.75                | 134             | 18.0        |
| 1100*20     | 220 HD     | 15.0            | 3.7                 | 130             | 13.1        |
| 1100*20     | 230 HD     | 15.0            | 3.7                 | 130             | 13.7        |
| 1100*20     | 235        | 14.0            | 3.5                 | 134             | 13.4        |
| 1100*20     | 240        | 13.6            | 3.4                 | 134             | 12.9        |
| 1100*20     | 250        | 12.8            | 3.4                 | 134             | 13.3        |
| 1100*20     | 260        | 12.8            | 3.2                 | 134             | 13.1        |
| 1000*20     | 260        | 12.8            | 3.2                 | 130             | 12.7        |
| 1000*20     | 200        | 11.5            | 3.5                 | 128             | 10.2        |
| 1000*20     | 205        | 12.5            | 3.5                 | 128             | 11.2        |
| 1000*20     | 210 LW     | 12.0            | 3.5                 | 129             | 11.3        |
| 1000*20     | 212        | 13.8            | 3.5                 | 129             | 12.5        |
| 1000*20     | 215        | 13.8            | 3.2                 | 129             | 11.3        |
| 1000*20     | 220        | 13.5            | 3.5                 | 130             | 11.1        |
| 1000*20     | 225        | 13.6            | 3.4                 | 130             | 12.0        |
| 1000*20     | 230        | 13.5            | 3.5                 | 130             | 12.6        |
| 1000*20     | 235        | 14.0            | 3.5                 | 130             | 13.0        |
| 1000*20     | 240        | 13.6            | 3.4                 | 130             | 12.6        |
| 1000*20     | 250        | 12.8            | 3.4                 | 130             | 13.0        |
| 1000*20     | 195        | 15.0            | 3.7                 | 130             | 11.6        |
| 1000*20     | 205        | 15.0            | 3.7                 | 130             | 11.9        |
| 1000*20     | 210 HD     | 15.0            | 3.7                 | 130             | 12.3        |
| 900*20      | 187        | 13.0            | 3.0                 | 126             | 9.5         |
| 750*16      | 160        | 10.8            | 3.0                 | 99              | 5.7         |
| 225*75*17.5 | 200        | 11.5            | 3.5                 | 103             | 8.2         |





**HT-23**

**BCR**



| Tyre Size | Width (mm) | Skid Depth (mm) | Base Thickness (mm) | Length (inches) | Weight (Kg) |
|-----------|------------|-----------------|---------------------|-----------------|-------------|
| 1200*24   | 220        | 14.2            | 3.5                 | 147             | 14.7        |
| 1200*24   | 225        | 14.3            | 3.1                 | 147             | 14.9        |
| 1200*24   | 230        | 13.3            | 3.1                 | 147             | 13.2        |
| 1200*24   | 235        | 13.4            | 3.2                 | 147             | 13.2        |
| 1200*24   | 240        | 14.0            | 3.0                 | 147             | 14.4        |
| 1100*20   | 215        | 15.0            | 3.3                 | 134             | 14.4        |



**HT-24**

**M6**



| Tyre Size | Width (mm) | Skid Depth (mm) | Base Thickness (mm) | Length (inches) | Weight (Kg) |
|-----------|------------|-----------------|---------------------|-----------------|-------------|
| 1200*24   | 220        | 13.0            | 3.5                 | 147             | 13.5        |
| 1200*24   | 225        | 13.4            | 3.2                 | 147             | 13.6        |
| 1200*24   | 230        | 13.3            | 3.5                 | 147             | 14.0        |
| 1200*24   | 235        | 12.7            | 3.5                 | 147             | 14.0        |
| 1200*24   | 240        | 13.0            | 3.5                 | 147             | 14.6        |
| 1200*24   | 250        | 13.3            | 3.1                 | 147             | 14.5        |
| 1200*24   | 260        | 12.4            | 3.2                 | 147             | 14.4        |
| 1100*20   | 215        | 13.0            | 3.5                 | 134             | 12.0        |



**HT-25**

**RTS**



| Tyre Size | Width (mm) | Skid Depth (mm) | Base Thickness (mm) | Length (inches) | Weight (Kg) |
|-----------|------------|-----------------|---------------------|-----------------|-------------|
| 1200*24   | 205        | 13.8            | 3.8                 | 147             | 12.7        |
| 1200*24   | 215        | 14.0            | 3.5                 | 146             | 13.5        |
| 1200*24   | 220 LW     | 14.0            | 3.4                 | 146             | 14.1        |
| 1200*24   | 225        | 14.0            | 3.2                 | 147             | 14.8        |
| 1200*24   | 230        | 13.0            | 3.0                 | 147             | 14.0        |
| 1200*24   | 235        | 13.0            | 3.2                 | 147             | 14.5        |
| 1200*24   | 240        | 12.8            | 3.6                 | 147             | 14.6        |
| 1100*20   | 240        | 12.8            | 3.6                 | 134             | 13.3        |
| 1100*20   | 250        | 13.8            | 3.0                 | 134             | 13.8        |
| 1100*20   | 245        | 14.5            | 3.8                 | 134             | 15.3        |
| 1100*20   | 220 HD     | 16.7            | 3.8                 | 134             | 15.2        |
| 1100*20   | 230 HD     | 16.6            | 3.9                 | 134             | 16.1        |
| 1100*20   | 220 LW     | 14.0            | 3.2                 | 130             | 12.5        |
| 1100*20   | 225        | 14.0            | 3.2                 | 132             | 13.0        |
| 1100*20   | 230        | 13.0            | 3.0                 | 130             | 12.3        |
| 1000*20   | 215        | 14.0            | 3.5                 | 130             | 11.9        |
| 1000*20   | 260        | 13.2            | 3.3                 | 134             | 14.4        |
| 1000*20   | 245        | 14.5            | 3.8                 | 130             | 14.8        |
| 1000*20   | 205        | 13.8            | 3.8                 | 130             | 11.3        |
| 900*20    | 187        | 14              | 3.7                 | 126             | 10.3        |
| 825*20    | 175        | 14.0            | 3.7                 | 120             | 9.0         |
| 825*20    | 170        | 14.0            | 3.7                 | 120             | 9.1         |
| 825*16    | 175        | 14.0            | 3.7                 | 105             | 7.9         |
| 825*16    | 170        | 14.0            | 3.7                 | 105             | 7.9         |
| 750*16    | 160        | 14.0            | 3.5                 | 99              | 6.5         |



**HT-26**

**Mines Special ML**



| Tyre Size | Width (mm) | Skid Depth (mm) | Base Thickness (mm) | Length (inches) | Weight (Kg) |
|-----------|------------|-----------------|---------------------|-----------------|-------------|
| 1200*24   | 225        | 17.0            | 3.8                 | 147             | 16.2        |
| 1200*24   | 245        | 17.0            | 3.8                 | 147             | 18.1        |
| 1200*24   | 235        | 17.5            | 3.5                 | 147             | 17.4        |
| 1100*20   | 235        | 17.5            | 3.5                 | 134             | 15.9        |
| 1100*20   | 225        | 17.0            | 3.8                 | 130             | 14.3        |
| 1100*20   | 245        | 17.0            | 3.8                 | 134             | 16.6        |
| 1100*20   | 215        | 20.0            | 3.7                 | 130             | 15.8        |
| 1000*20   | 210LW      | 14.0            | 3.6                 | 130             | 11.5        |
| 1000*20   | 205        | 20.0            | 3.5                 | 126             | 14.3        |
| 1000*20   | 205        | 20.0            | 3.5                 | 129             | 14.7        |



**HT-27**

**TVS**



**HT-28**

**B580**

| Tyre Size | Width (mm) | Skid Depth (mm) | Base Thickness (mm) | Length (inches) | Weight (Kg) |
|-----------|------------|-----------------|---------------------|-----------------|-------------|
| 1200*24   | 235        | 20.4            | 3.8                 | 147             | 19.4        |
| 1200*24   | 250        | 22.0            | 4.0                 | 147             | 21.6        |
| 1200*24   | 250        | 22.0            | 4.0                 | 134             | 19.6        |
| 1200*24   | 225        | 19.0            | 4.2                 | 147             | 17.7        |
| 1200*24   | 265        | 22.0            | 5.0                 | 147             | 23.5        |
| 1200*24   | 280        | 22.0            | 5.0                 | 147             | 24.5        |
| 1200*24   | 235 LW     | 16.0            | 4.0                 | 147             | 16.3        |
| 1200*24   | 220        | 16.0            | 4.0                 | 147             | 15.2        |
| 1200*20   | 280        | 22.0            | 5.0                 | 134             | 22.4        |
| 1200*20   | 265        | 22.0            | 5.0                 | 134             | 21.4        |
| 1100*20   | 235        | 20.4            | 3.8                 | 134             | 17.7        |
| 1100*20   | 225        | 19.0            | 4.2                 | 134             | 16.1        |
| 1100*20   | 220LW      | 16.0            | 4.0                 | 132             | 13.8        |

| Tyre Size | Width (mm) | Skid Depth (mm) | Base Thickness (mm) | Length (inches) | Weight (Kg) |
|-----------|------------|-----------------|---------------------|-----------------|-------------|
| 1200*24   | 225        | 13.6            | 3.0                 | 147             | 14.7        |
| 1200*24   | 230        | 13.5            | 3.1                 | 147             | 14.0        |
| 1200*24   | 240        | 13.2            | 3.2                 | 147             | 15.1        |
| 1200*24   | 240        | 13.2            | 3.2                 | 130             | 13.4        |
| 1100*20   | 250        | 16.0            | 3.5                 | 134             | 16.7        |
| 1100*20   | 215        | 13.4            | 3.0                 | 134             | 11.8        |
| 1100*20   | 215        | 13.4            | 3.0                 | 147             | 12.9        |
| 1000*20   | 230        | 13.5            | 3.1                 | 130             | 12.3        |
| 1000*20   | 225        | 13.6            | 3.0                 | 130             | 13.0        |
| 1000*20   | 215        | 13.4            | 3.0                 | 130             | 11.4        |



**HT-29**

**JKB**



**HT-30**

**LD**

| Tyre Size | Width (mm) | Skid Depth (mm) | Base Thickness (mm) | Length (inches) | Weight (Kg) |
|-----------|------------|-----------------|---------------------|-----------------|-------------|
| 215 R14   | 173        | 11.4            | 3.2                 | 96              | 5.6         |
| 215 R14   | 173        | 11.4            | 3.2                 | 87              | 5.0         |

| Tyre Size | Width (mm) | Skid Depth (mm) | Base Thickness (mm) | Length (inches) | Weight (Kg) |
|-----------|------------|-----------------|---------------------|-----------------|-------------|
| 1100*20   | 230        | 13.0            | 3.8                 | 132             | 12.9        |
| 1100*20   | 220        | 13.0            | 3.8                 | 132             | 11.8        |
| 1000*20   | 230        | 13.0            | 3.8                 | 129             | 12.6        |
| 1000*20   | 220        | 13.0            | 3.8                 | 129             | 11.6        |



**HT-31**

**MML**

| Tyre Size | Width (mm) | Skid Depth (mm) | Base Thickness (mm) | Length (inches) | Weight (Kg) |
|-----------|------------|-----------------|---------------------|-----------------|-------------|
| 1200*24   | 230        | 13.5            | 3.3                 | 147             | 13.5        |
| 1200*24   | 240        | 13.5            | 3.6                 | 146             | 14.5        |
| 1200*24   | 215        | 14.0            | 3.5                 | 146             | 11.5        |
| 1100*20   | 230        | 13.5            | 3.3                 | 130             | 12.0        |
| 1100*20   | 240        | 13.5            | 3.6                 | 130             | 12.7        |



**HT-32**

**MILE GRIP MLG**

| Tyre Size | Width (mm) | Skid Depth (mm) | Base Thickness (mm) | Length (inches) | Weight (Kg) |
|-----------|------------|-----------------|---------------------|-----------------|-------------|
| 1000*20   | 205        | 13.5            | 3.5                 | 129             | 11.5        |
| 825*20    | 180        | 13.5            | 3.5                 | 120             | 9.1         |
| 825*20    | 174 HD     | 16.2            | 3.6                 | 120             | 10.1        |
| 825*20    | 174 LW     | 12.5            | 3.3                 | 120             | 8.0         |
| 825*16    | 174 HD     | 16.2            | 3.6                 | 105             | 8.9         |
| 825*16    | 174 LW     | 12.5            | 3.3                 | 105             | 7.0         |



**HT-33**

**M10**

| Tyre Size | Width (mm) | Skid Depth (mm) | Base Thickness (mm) | Length (inches) | Weight (Kg) |
|-----------|------------|-----------------|---------------------|-----------------|-------------|
| 1200*24   | 260        | 19.7            | 4.0                 | 147             | 20.3        |
| 1100*20   | 260        | 19.7            | 4.0                 | 134             | 18.5        |
| 1000*20   | 260        | 19.7            | 4.0                 | 130             | 18.0        |



**HT-34**

**TRANSPORT**

| Tyre Size | Width (mm) | Skid Depth (mm) | Base Thickness (mm) | Length (inches) | Weight (Kg) |
|-----------|------------|-----------------|---------------------|-----------------|-------------|
| 700*16    | 148        | 12.6            | 4.2                 | 96              | 6.3         |



**HT-35**

**BDY**

| Tyre Size | Width (mm) | Skid Depth (mm) | Base Thickness (mm) | Length (inches) | Weight (Kg) |
|-----------|------------|-----------------|---------------------|-----------------|-------------|
| 1100*20   | 220        | 14.0            | 3.5                 | 130             | 12.1        |
| 1100*20   | 250        | 14.0            | 3.8                 | 130             | 14.2        |
| 1100*20   | 240        | 14.0            | 3.9                 | 130             | 13.7        |



**HT-36**

**ROAD STAR**

| Tyre Size | Width (mm) | Skid Depth (mm) | Base Thickness (mm) | Length (inches) | Weight (Kg) |
|-----------|------------|-----------------|---------------------|-----------------|-------------|
| 1000*20   | 210 LW     | 14.0            | 3.3                 | 129             | 11.2        |



**HT-37**

**ADH**



| Tyre Size | Width (mm) | Skid Depth (mm) | Base Thickness (mm) | Length (inches) | Weight (Kg) |
|-----------|------------|-----------------|---------------------|-----------------|-------------|
| 1000*20   | 210        | 14.0            | 3.8                 | 130             | 11.5        |



**HT-38**

**LGR**



| Tyre Size | Width (mm) | Skid Depth (mm) | Base Thickness (mm) | Length (inches) | Weight (Kg) |
|-----------|------------|-----------------|---------------------|-----------------|-------------|
| 1000*20   | 205        | 15.0            | 3.0                 | 130             | 11.5        |
| 1000*20   | 215        | 15.0            | 3.0                 | 130             | 12.5        |



**HT-39**

**B582**




| Tyre Size | Width (mm) | Skid Depth (mm) | Base Thickness (mm) | Length (inches) | Weight (Kg) |
|-----------|------------|-----------------|---------------------|-----------------|-------------|
| 1200*24   | 225        | 14.0            | 3.7                 | 147             | 13.8        |
| 1200*24   | 215        | 14.0            | 3.7                 | 147             | 13.3        |
| 1200*24   | 235        | 14.0            | 3.7                 | 147             | 14.5        |
| 1200*20   | 235        | 14.0            | 3.7                 | 134             | 13.2        |
| 1100*20   | 225        | 14.0            | 3.7                 | 132             | 12.4        |
| 1100*20   | 215        | 14.0            | 3.7                 | 130             | 11.7        |



**HT-40**

**JDE**



| Tyre Size | Width (mm) | Skid Depth (mm) | Base Thickness (mm) | Length (inches) | Weight (Kg) |
|-----------|------------|-----------------|---------------------|-----------------|-------------|
| 1000*20   | 210        | 13.0            | 3.5                 | 128             | 10.5        |
| 1000*20   | 215        | 14.4            | 3.5                 | 128             | 11.9        |



**HT-41**

**IR**



| Tyre Size  | Width (mm) | Skid Depth (mm) | Base Thickness (mm) | Length (inches) | Weight (Kg) |
|------------|------------|-----------------|---------------------|-----------------|-------------|
| 155 80 D12 | 120        | 9.5             | 2.5                 | 66              | 2.5         |



**HT-42**

**MST**



| Tyre Size | Width (mm) | Skid Depth (mm) | Base Thickness (mm) | Length (inches) | Weight (Kg) |
|-----------|------------|-----------------|---------------------|-----------------|-------------|
| 1200*20   | 230        | 13.5            | 3.5                 | 132             | 14.0        |
| 1100*20   | 215        | 13.5            | 3.5                 | 132             | 13.0        |
| 1000*20   | 210        | 16.0            | 3.5                 | 128             | 12.4        |
| 1000*20   | 205        | 13.5            | 3.5                 | 129             | 11.5        |



**HT-43**

**TRACTOR  
FRONT**

| Tyre Size | Width (mm) | Skid Depth (mm) | Base Thickness (mm) | Length (inches) | Weight (Kg) |
|-----------|------------|-----------------|---------------------|-----------------|-------------|
| 600*16    | 130        | 12.0            | 3.5                 | 90              | 3.6         |




**HT-44**

**TRACTOR  
FRONT NEW**

| Tyre Size | Width (mm) | Skid Depth (mm) | Base Thickness (mm) | Length (inches) | Weight (Kg) |
|-----------|------------|-----------------|---------------------|-----------------|-------------|
| 750*16    | 160        | 14.0            | 4.0                 | 99              | 5.8         |
| 600*16    | 124        | 15.0            | 4.0                 | 90              | 3.5         |

We at Hi-Tech Rubber Industries Offer High Quality, Customized Rubber Compounds suitable for tyres, tread rubber, auto parts, conveyor belts and all kinds of moulded products.



- Well equipped lab and technical expertise
- Implemented zero defect strategy
- Flexible production line
- Small batches to high volume runs
- K-4 intermix machines & Banburry with latest technology
- Assured on time delivery
- To us quality is a pledge

## Precured Tread Rubber



Made out of a suitable blend of synthetic and natural rubber. Available in wide range of designs and sizes from 84 to 300mm base width.

## Black Vulcanising Solution



Suitable for 99°C, 125°C and 150°C. Available in 10 & 30 liters, packing. Suitable for hot & cold press.

## Bonding Gum



Highly tackifying resins and the best blend of natural rubber. Bonding gum available in the dimensions of customer choice suitable for curing temperature 99°C, 125°C and 150°C in 5 kg and 20 kg packing.

## Tread Rubber



Specially designed compound for extra shelf life and high mileage available in different grades to suit different applications, manufactured in sizes as per customer's specifications.

## Tyre Flaps



A perfect blend in polymer to get the best results in retreading chamber, highly heat resistant and extra durable.

## Cushion Gum



Excellent product for special applications, like nail hole filling and repair tyre casing injury.

## Tyre & Tube Repair Patches



A complete range of repair patches for bias ply and radial tyres with chemical and heat vulcanising system available.

## Rubber Moulding



Customised range of all rubber moulded products.

**HI-TECH**  
high mileage

**MANNA**  
Group

**ALL DIMENSIONS ARE AVAILABLE WITH US FOR  
RETREADING  
NEEDS  
OF YOUR**

**JCB  
LOADER  
TRACTOR  
FORKLIFTS ETC..**



**Tyre Sizes : 17.5x25, 16.9.28, 13x24/25, 14x24/25, 14x24  
15x24/25, 13.6.28, 12.4.28 etc**

**HI-TECH**  
high mileage

*More Miles...  
More Smiles...*

website : [www.mannarubber.com](http://www.mannarubber.com) | email : [mail@mannarubber.com](mailto:mail@mannarubber.com)



## HI-TECH PRETREADS

AN ISO 9001:2015 CERTIFIED COMPANY

PVIP Canal Road, Keezhillam P.O,  
Perumbavoor, Kerala -683541, India,  
Phone : +91 484- 252 5721, 265 5595,  
Mobile : +91 9447225942, 9037025722,  
email : [mail@mannarubber.com](mailto:mail@mannarubber.com),  
[mail@hi-techtreads.com](mailto:mail@hi-techtreads.com)  
website: [www.mannarubber.com](http://www.mannarubber.com)

## SPEED TYRES RETREADING LLC

P.O.Box No : 11261 Ras Al Khaimah - UAE  
Ph : +971 722 73725, Mob : +971 5061 38375  
email : [speedtyres.rak@gmail.com](mailto:speedtyres.rak@gmail.com) [accounts@speedtyres.in](mailto:accounts@speedtyres.in)

## MANNA RUBBER PRODUCTS PVT. LTD.

Site A, Plot No. 67, 68, Rubber Park, Valayanchirangara,  
Ernakulam, Kerala-683 556, Mob : +91 9048399981

**HI-TECH AGENCIES  
HI-TECH TREADS  
HI-TECH RUBBER INDUSTRIES  
SOORYA RUBBERS  
MANNA TYRE RETREADS**

website : [www.mannarubber.com](http://www.mannarubber.com)